



# ISLAMIC RELIEF

*Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984*

---

## Tender Pack

**PROPOSAL FOR: Supply and Installation of Eight (08) Ultra Water Filtration Plants and Construction of Pre-Fabricated Rooms for its Project in District Bagh-AJK.**

**ADVERTISEMENT DATE: December 09, 2020**

**TENDER DOCUMENTS ISSUANCE: December 09, 2020 to December 17, 2020 before 1400 Hrs**

**DOCUMENTS SUBMISSION DATE: December 17, 2020 before 1500 Hrs**



# ISLAMIC RELIEF

*Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984*

---

## CONTENTS

1. Questionnaire (supplier's general business info)
2. Pricing (RFQ)
3. Terms and Conditions
4. Supplier Screening Form
5. Queries..... write us
6. Complaint.... write us



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## 1. CONFIDENTIAL QUESTIONNAIRE

### Company Information

Question	Response
Full Legal and Trading Name.	
Date of Registration of your company (please attach certificate)	
Full address.	
Registered place of business (if different from street address).	
Name the contact within your organization to whom all correspondence regarding this should be addressed. This include Cell#, Email Address	
Company website address.	
Name and position of person authorized to enter into negotiations and sign any formal agreement.	
Company registration details such as, i. Registration numbers ii. VAT Registration number iii. Trade license number (copy must be attach)	
Name of other key contacts: Director/s.  Sales/Orders.  Technical Support.	



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Business Information

Question	Response
<p>Provide a brief description of your Company profile and structure, size and location(s) including a brief overview of your marketing and the scope of operations and styles manufactured.</p> <p>Relationships with any parent company (if applicable).</p> <p>Include details of third party contractors where applicable.</p> <p>Details of joint venture arrangements (if applicable).</p>	
List of Products/Services	
List of Major Clients	
<p>Details of your company's experience in the execution of similar contracts, keeping in view the following points:</p> <ol style="list-style-type: none"><li>Name of company/INGOs</li><li>Contract Value</li><li>References</li></ol> <p>(agreements copy must be attach)</p>	



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Banker's Detail:

Question	Response
Bank Name, Account Title, branch and total turnover in USD of last year (attach the bank statement of last 6 months)	

## Trade Reference (only for Similar Projects):

	1	2	3	4
Name of Organization				
Contact name and phone number				
Description of items/services delivered				
Quantity				
Date contract awarded				
Date contract Completed				
Value of Contract in PKR				



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## 2. Pricing (RFQ)

M/s \_\_\_\_\_

Date: \_\_\_\_\_

Ref. # \_\_\_\_\_

Islamic Relief (IR) is an International Non-Governmental Humanitarian Organization (NGO) providing humanitarian aid during emergencies and working for long-term development of the world's poorest people.

Islamic Relief (Pakistan) takes this opportunity to request you to quote the prices for the Supply and Installation of Eight (08) Ultra Water Filtration Plants and Construction of Pre-Fabricated Rooms for its Project in District Bagh-AJK as per following details:

S#	Work Description	Unit	Quantity	Unit Price	Amount
1	Material Supply and Installation of large size Ultra Water Filtration Plant for 1500 Peoples & Construction of Pre-Fabricated Room as per BOQ Annex-A and Drawing-A	Job	1		
2	Material Supply and Installation of medium size Ultra Water Filtration plant for 1000 Peoples & Construction of Pre-Fabricated Room as per BOQ Annex-B and Drawing-B	Job	2		
3	Material Supply and Installation of small size Ultra Water Filtration Plant for 500 Peoples & Construction of Pre-Fabricated Room as per BOQ Annex-C and Drawing-C	Job	5		
<b>Total Amount (Inclusive of Material Supply, Installation, Construction &amp; Taxes)</b>					

**Note: IR will have the right to conduct the lab test for of samples to evaluate the quality and also the consignment if selected.**

Delivery Timeline (Please mention expected delivery timeline):				
Locations/Sites Details:				
S#	Village/Uoin Council Name	District	Quantity	Facility Type
1	Hassan Abad	Bagh	1	Large size water filtration Plant for 1500 Peoples
2	District Complex PHED	Bagh	1	Small size water Filtration Plant for 500 Peoples
3	Bai Pass Imamai Colony	Bagh	1	Medium size water filtration Plant for 1000 Peoples
4	Graid Station Colony	Bagh	1	Medium size water filtration Plant for 1000 Peoples
5	Plain Puttai	Bagh	1	Small size water Filtration Plant for 500 Peoples
6	Paddar	Bagh	1	Small size water Filtration Plant for 500 Peoples
7	Mohari	Bagh	1	Small size water Filtration Plant for 500 Peoples
8	Bagloor	Bagh	1	Small size water Filtration Plant for 500 Peoples



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## **3. General Terms & Conditions**

### General

- 1- Supplier will be required to provide CDR/DD amounting 5 % (in the name of “Islamic Relief”). CDR/DD will be returned to unsuccessful bidders after decision of tender. Tender without CDR/DD will not be considered.
- 2- Quoted prices for the above items shall be inclusive of all kind of govt. taxes including GST and duties as per prevailing Tax Laws of Govt. of Pakistan, Transportation, Quarantine Services and Custom Clearance and port taxes (if any)
- 3- All prices must be quoted in Pak rupees.
- 4- Prices quoted shall be Delivered Duty Paid (DDP) at the identified locations i.e. District Bagh in AJ&K
- 5- Any damage, loss, theft and demurrages outside the premises of Islamic Relief (Pakistan) shall be the responsibility of supplier / agent.
- 6- Withholding tax & GST as per government prevailing rates shall be deducted at the time of payment.
- 7- Payment shall be made in the form of cross cheque within 21 days after acceptance of delivery and subsequent submission of the invoice to the Islamic Relief (Pakistan).
- 8- Islamic Relief reserves the right to reject any or all bids without assigning any reason thereof.
- 9- Expected delivery time must be mentioned on your quotation.
- 11- Incomplete Bids/documents shall not be entertained.

### **3.1 Bid Submission Requirements**

- 1- The following documents should be accompany the tender
  - Updated Company Profile with all registration certificates
  - Updated bank statements of last 6 months and Last year audited financial statements
  - Relevant Purchase Orders, Agreements and completion certificates
  - CDRs/DDs 5% of the total bid value
- 2- **Sealed Bids addressed to “Procurement Committee” should be drop in quotation box placed at AN Arcade Plot # 10-A, St. # 87, G-13/1, Islamabad on or before December 17, 2020 (before 1500 hrs).**

### **3.2 Validity of Price**

Prices shall remain valid for at least 90 days from the date of opening. If the last date falls on a holiday, the validity shall be extended to the next working day of the Company thereafter.

For Islamic Relief \_\_\_\_\_ Sig & Seal of bidder \_\_\_\_\_



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## 4. Supplier Screening Form

### Company Information:-

Company Name (as appeared on Registration Document): \_\_\_\_\_

Company Address: \_\_\_\_\_

Country: \_\_\_\_\_ Telephone: \_\_\_\_\_ Website: \_\_\_\_\_

Director(s) names (Please ensure you enclose proof of identity of director(s) e.g. passport copy or ID card)

Has the organization been convicted of any criminal offence?

Yes      No

Does the organization have any relationship with current IR staff in the following capacity?

Personal/Family      Yes      No

Business      Yes      No

If you have answered YES to any of the above then can you please state in detail the relationship you have and with whom

How did you hear about IR's service request? \_\_\_\_\_

Please note that it is compulsory for the following to be provided to us:

1. Company Registration
2. Photo copy of ID/Passport of Directors

### Consent

Our organization is not involved in and does not support any activity which is considered illegal by the Government of \_\_\_\_\_ (insert Country) or under the International Laws Community or what may be termed a 'terrorist activity'

I confirm that the above information is accurate to the best of my knowledge. I have not withheld information.

Name: \_\_\_\_\_

Position: \_\_\_\_\_

Sign & Official stamp: \_\_\_\_\_

Date: \_\_\_\_\_





# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

*“Inspired by our Islamic faith and guided by our values we envisage a caring world where communities are empowered, social obligations are fulfilled and people respond as one to the suffering of others.”*

We will treat your personal information as confidential and your details will not be shared with anyone else. The information on this form is required for the purpose of providing security screening.

## Internal Use

Received by (local office): Name	Position	Date
Information sent to (HQ): Name	Date	

### 5. Queries..... please write us

If you have any query on tender document than please write to [pcco@irp.org.pk](mailto:pcco@irp.org.pk)

### 6. Complaints..... please write us

If you see any violation of rights or any incident of corruption, please contact us at:

[complaints@irworldwide.org](mailto:complaints@irworldwide.org)

Islamic Relief has zero tolerance for corruption & bribery and is committed to listen and Address any violation of rights of aid workers, suppliers, contractors and our beneficiary communities.



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

---

## 7. Supplier Code of Conduct

### 1 Islamic Relief Worldwide requires all firm to adhere to:

- 1.1 The Modern Slavery Act 2015
- 1.2 The International Labour Standards as defined by the ILO (International Labour Organisation). This Code of Conduct developed by the Inter Agency Procurement Group (IAPG) is inspired by the International Labour Standards.

### 2 Corporate Social Responsibility (CSR)

This information is to advise you, our service provider of the Corporate Social Responsibility (CSR) element in our supplier relationships:

- 2.1 Goods and services purchased are produced and developed under conditions that do not involve the abuse or exploitation of any persons.
- 2.2 Goods/services produced and delivered by organizations subscribe to no exploitation of children
- 2.3 Goods/services produced and manufactured have the least impact on the environment
- 2.4 Goods and services are produced and delivered under conditions where:
  - 2.4.1 Employment is freely chosen
  - 2.4.2 The rights of staff to freedom of association and collective bargaining are respected.
  - 2.4.3 Living wages are paid
  - 2.4.4 There is no exploitation of children
  - 2.4.5 Working conditions are safe and hygienic
  - 2.4.6 Working hours are not excessive
  - 2.4.7 No discrimination is practiced
  - 2.4.8 Regular employment is provided
  - 2.4.9 No harsh or inhumane treatment of staff is allowed.
- 2.5 Environmental Standards:

Service provider should as a minimum comply with all statutory and other legal requirements relating to environmental impacts of their business. Areas to be considered are:

  - 2.5.1 Waste Management
  - 2.5.2 Packaging and Paper
  - 2.5.3 Conservation
  - 2.5.4 Energy Use
  - 2.5.5 Sustainability

### 3 Business Behaviour:

Islamic Relief will seek alternative sources where the conduct of service provider demonstrably violates the Modern Slavery Act 2015, and there is no willingness to address the situation within a reasonable time-frame.

Islamic Relief will seek alternative sources where companies in the supply chain are involved in the manufacture of arms or the sale of arms to governments which systematically violate the human rights of their citizens.

### Qualifications to the statement:

Where speed of deployment is essential in saving lives, IAPG members will purchase necessary goods and services from the most appropriate available source.



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Annex-A

### Annex-A (Material Supply & Installation of Ultra Water Filtration plant & Construction of Pre-Fabricated Room for 1500 Peoples)

Filtration Plant Room size 12' X 12' X10' (Internal dimensions)(front height 11 feet and back side 9 feet)

S#	Activities Description/Specification	Unit	Qty	Unit Rate	Amount
1	Excavation in foundation of building, septic tank, water tank, drainage line, irrigation channel and water pipe line of different dia in all kind of soil including soft soil, hard rock, shingle/gravel etc. For details see the drawings.	Cft	153		
2	Providing and laying Plain cement concrete including shuttering, maxing, placing, compacting, finishing and curing up to two weeks (nominal mix ration 1:4:8) (the crush must be well graded, free from mud and dust and the sand will be fine & clear from mud/dust) as in foundation complete in all respect & as per drawing. Required crushing strength must be not less than 1800 psi.	Cft	51		
3	First class burnt brick masonry in 1:6 cement sand mortar , comprising 9" including curing upto one week, masonry work must be good finished, bricks must be 4.5" x 9" x 3" complete in all respects as in foundation. For details see the drawings in Annex. Required crushing strength must be not less than 1800 psi.	Cft	124		
4	R.C.C (1:2:4) Plinth Beam for installation of Pre-Fabricated room structure with Completed accessories	Cft	29		
5	P/L Supply & fabricate M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 40)	Ton	0.15		
6	Providing and laying/pouring Plain cement concrete (PCC) 1:2:4 ratio in room floor and plinth protection around room out side including shuttering, curing up to 28 days, compacting, maxing (maxing must be on a surface which having zero water absorption capacity like concrete floor or thick polythene sheet etc.), finishing (for good finishing polythene sheet must be used on the shuttering surface). as in plinth protection etc. For details see the drawings. Required crushing strength must be not less than 3000 psi.	CFT	73		
7	Providing and Laying ,cutting,jointing.testing and disinfecting HDPE pipe PN-10 PE-100 of 40mm internal diameter with connection clamp including connection complete will all respect with specials & valves etc	RFT	50		
8	Providing and Laying of P.C Plaster ½" thick (1:4) up to 20' height.	Sft	81		
9	Providing & fixing of good quality China tiles or,Glazed strip tile on water collection areas (8"x10") , top (12"x12") and Skirting ( 12"x6")	Sft	196		
10	Providing and laying of Sand/Gravel filling under floor	Cft	108		



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

11	Wall panels (Sandwich type) 2"thick with inner and outer.50mm pre-painted formed steel sheet(prime quality) with thermal insulating core of thermoform 20kg/m3.(wall panels should be inclined to back side	sft	504		
12	Roof Panels(Sand wich type)2"thick with inner and outer.50mm pre-painted formed steel sheet(prime quality) with thermal insulating core of thermoform 20kg/m3 , with 1' Shed	Sft	232		
13	U Channel of size 2"x1-1/2"x18 Gauge GI to be used on Bothom and top of wall panels (11 feet) long.	Sft	96		
14	Door ,50mm Steel Sandwich Panel Doors (Painted) of the same material as used in Wall pannles, along with Aluminum Z channal(Chokat 7.5'x5.5') ,2" wide1.2mm thick)	Sft	41		
15	Window (painted) 1.6mm thick Silver Color Aluminum Windows with 5mm thicktransparent glass, Mesh,gril.(Sizes: W1: 3' x 3' .	Sft	9		
16	Electric Wiring, Providing and fixing of Fire resistance wiring for Electrical wiring, 3/29, 7/29 Capital cables/Pakistan Cable. With energy savers as per Engineer direction etc)	No	1		
17	Painted outside & Inside Room walls, roof, with Berger/ICI or equaling which will be weather proof paint two color as per engineer direction.	Sft	1616		
18	Providing & fixing of 3" dia uPVC rain water down pipe, with shove ,bend ,tee & clamp etc.	Rft	13		
19	Providing and fixing Service Cable (7/52) for Main line to Water Filtration Plant	Rft	100		
20	Providing and Installation of ultra-filtration plant as per WHO Standard on the existing drinking water supply schemes for minimum 1500 people daily drinking water including testing and commissioning/functionalizing. Per hour discharge should not less than 270 gallons, along with extra 2 PVC storage tank 500gallons and consumables etc.	Job	1		
21	Water collection point ,tap stand GI pipe (Medium) dia 2", length 12' built in with 5 socket welded having dia 1/2", and 5 steel taps good quality dia 1/2", one end of main pipe closed with 2" stopper and reducer having size 2"x1" at other end complete construction work and fixing of tiles /marbles on the wall, and protection steel grill around collection space size will consider as per site and directed by the engineer	Job	1		
22	Providing and installation of Sign Board size(4'X3') using 18gauge steel sheet , GI pipe 1.5" dia as in frame & foots with cross angel iron double strips of 1 feet length, 6 feet total Height of sign Board, writing of given data double sides with IR logo )	Job	1		
<b>Grand Total (Labour+Materials+Tax)</b>					



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Annex-B

<b>Annex-B (Material Supply and Installation of Ultra Water Filtration Plant &amp; Construction of Pre-Fabricated Room for 1000 Peoples)</b>					
<b>Filtration Plant Room size 12' X 12' X10' (Internal dimensions) front height 11 feet and back side 9 feet.</b>					
<b>S#</b>	<b>Activities Description/Specification</b>	<b>Unit</b>	<b>Qty</b>	<b>Unit Rate</b>	<b>Amount</b>
1	Excavation in foundation of building, septic tank, water tank, drainage line, irrigation channel and water pipe line of different dia in all kind of soil including soft soil, hard rock, shingle/gravel etc. For details see the drawings.	Cft	153		
2	Providing and laying Plain cement concrete including shuttering, maxing, placing, compacting, finishing and curing up to two weeks (nominal mix ratio 1:4:8) (the crush must be well graded, free from mud and dust and the sand will be fine & clear from mud/dust) as in foundation complete in all respect & as per drawing. Required crushing strength must be not less than 1800 psi.	Cft	51		
3	First class burnt brick masonry in 1:6 cement sand mortar , comprising 9" including curing upto one week, masonry work must be good finished, bricks must be 4.5" x 9" x 3" complete in all respects as in foundation. For details see the drawings in Annex. Required crushing strength must be not less than 1800 psi.	Cft	124		
4	R.C.C (1:2:4) Plinth Beam for installation of Pre-Fabricated room structure with Completed accessories	Cft	29		
5	P/L Supply & fabricate M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 40)	Ton	0.15		
6	Providing and laying/pouring Plain cement concrete (PCC) 1:2:4 ratio in room floor and plinth protection around room out side including shuttering, curing up to 28 days, compacting, maxing (maxing must be on a surface which having zero water absorption capacity like concrete floor or thick polythene sheet etc.), finishing (for good finishing polythene sheet must be used on the shuttering surface). as in plinth protection etc. For details see the drawings. Required crushing strength must be not less than 3000 psi.	CFT	73		
7	Providing and Laying ,cutting, jointing, testing and disinfecting HDPE pipe PN-10 PE-100 of 40mm internal diameter with connection clamp including connection complete will all respect with specials & valves etc	RFT	50		
8	Providing and Laying of P.C Plaster ½" thick (1:4) up to 20' height.	Sft	81		
9	Providing & fixing of good quality China tiles or, Glazed strip tile on water collection areas (8"x10" ) , top (12"x12") and Skirting ( 12"x6")	Sft	196		



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

10	Providing and laying of Sand/Gravel filling under floor	Cft	108		
11	Wall panels (Sandwich type) 2"thick with inner and outer.50mm pre-painted formed steel sheet(prime quality) with thermal insulating core of thermoform 20kg/m3.(wall panels should be inclined to back side	sft	504		
12	Roof Panels(Sand wich type)2"thick with inner and outer.50mm pre-painted formed steel sheet(prime quality) with thermal insulating core of thermoform 20kg/m3 , with 4feet Shed at water collection side for weather protection.	Sft	232		
13	U Channel of size 2"x1-1/2"x18 Gauge GI to be used on Bothom and top of wall panels (11 feet) long.	Sft	96		
14	Door ,50mm Steel Sandwich Panel Doors (Painted) of the same material as used in Wall pannles, along with Aluminum Z channal(Chokat 7.5'x5.5') ,2" wide1.2mm thick)	Sft	41		
15	Window (painted) 1.6mm thick Silver Color Aluminum Windows with 5mm thicktransparent glass& Mesh.(Sizes: W1: 3' x 3' .	Sft	9		
16	Electric Wiring, Providing and fixing of Fire resistance wiring for Electrical wiring, 3/29, 7/29 Capital cables/Pakistan Cable. With energy savers as per Enginer direction etc)	No	1		
17	Painted outside & Inside Room walls, roof, with Berger/ICI or equaling which will be weather proof and two coat colo as per engineer direction.	Sft	1616		
18	Providing & fixing of 3" dia uPVC rain water down pipe, with shove ,bend ,tee & clamp etc.	Rft	13		
19	Providing and fixing Service Cable (7/52) for Main line to Water Filtration Plant	Rft	100		
20	Providing and Installation of ultra-filtration plant as per WHO standard on the existing drinking water supply schemes for minimum 1000 people daily drinking water including testing and commissioning/functionalizing. Per hour discharge should not less than 180 gallons. Along with extra 2 PVC storage tank 500gallons and consumables etc.	Job	1		
21	Water collection point ,tap stand GI pipe (Medium) dia 2", length 12' built in with 5 socket welded having dia 1/2", and 5 steel taps good quality dia 1/2", one end of main pipe closed with 2" stopper and reducer having size 2"x1" at other end complete construction work and fixing of tiles /marbles on the wall, and protection steel grill around collection space size will consider as per site and directed by the engineer	Job	1		
22	Providing and installation of Sign Board size(4'X3') using 18gauge steel sheet , GI pipe 1.5" dia as in frame & foots with cross angel iron double strips of 1 feet length, 6 feet total Height of sign Board, writing of given data double sides with IR logo )	Job	1		
<b>Grand Total (Labour+Materials+Tax)</b>					



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Annex-C:

<b>Annex-C (Material Supply and Installation of Ultra water Filtration Plant &amp; Construction of Pre-Fabricated Room for 500 Peoples)</b>					
<b>Filtration Plant Room size 12' X 12' X10' (Internal dimensions)( front height 11 feet and back side 9 feet)</b>					
<b>S#</b>	<b>Activities Description/Specification</b>	<b>Unit</b>	<b>Qty</b>	<b>Unit Rate</b>	<b>Amount</b>
1	Excavation in foundation of building, septic tank, water tank, drainage line, irrigation channel and water pipe line of different dia in all kind of soil including soft soil, hard rock, shingle/gravel etc. For details see the drawings.	Cft	153		
2	Providing and laying Plain cement concrete including shuttering, maxing, placing, compacting, finishing and curing up to two weeks (nominal mix ration 1:4:8) (the crush must be well graded, free from mud and dust and the sand will be fine & clear from mud/dust) as in foundation complete in all respect & as per drawing. Required crushing strength must be not less than 1800 psi.	Cft	51		
3	First class burnt brick masonry in 1:6 cement sand mortar , comprising 9" including curing upto one week, masonry work must be good finished, bricks must be 4.5" x 9" x 3" complete in all respects as in foundation. For details see the drawings in Annex. Required crushing strength must be not less than 1800 psi.	Cft	125		
4	R.C.C (1:2:4) Plinth Beam for installation of Pre-Fabricated room structure with Completed accessories	Cft	29		
5	P/L Supply & fabricate M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 40)	Ton	0.15		
6	Providing and laying/pouring Plain cement concrete (PCC) 1:2:4 ratio in room floor and plinth protection around room out side including shuttering, curing up to 28 days, compacting, maxing (maxing must be on a surface which having zero water absorption capacity like concrete floor or thick polythene sheet etc.), finishing (for good finishing polythene sheet must be used on the shuttering surface). as in plinth protection etc. For details see the drawings. Required crushing strength must be not less than 3000 psi.	CFT	73		
7	Providing and Laying ,cutting,jointing.testing and disinfecting HDPE pipe PN-10 PE-100 of 40mm internal diameter with connection clamp including connection complete will all respect with specials & valves etc	RFT	50		
8	Providing and Laying of P.C Plaster ½" thick (1:4) up to 20' height.	Sft	81		
9	Providing & fixing of good quality China tiles or,Glazed strip tile on water collection areas (8"x10") , top (12"x12") and Skirting ( 12"x6")	Sft	196		
10	Providing and laying of Sand/Gravel filling under floor	Cft	108		



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

11	Wall panels (Sandwich type) 2"thick with inner and outer.50mm pre-painted formed steel sheet(prime quality) with thermal insulating core of thermoform 20kg/m3.(wall panels should be inclined to back side	sft	504		
12	Roof Panels(Sandwich type)2"thick with inner and outer.50mm pre-painted formed steel sheet(prime quality) with thermal insulating core of thermoform 20kg/m3 , with 4' feet Shed at water collection side from weather protection	Sft	232		
13	U Channel of size 2"x1-1/2"x18 Gauge GI to be used on Bothom and top of wall panels (11 feet) long.	Sft	96		
14	Door ,50mm Steel Sandwich Panel Doors (Painted) of the same material as used in Wall pannels, along with Aluminum Z channal(7.5'x5.5') ,2" wide1.2mm thick)	Sft	41		
15	Window (painted) 1.6mm thick Silver Color Aluminum Windows with 5mm thick transparent glass, Mesh,gril.(Sizes: W1: 3' x 3' .	Sft	9		
16	Electric Wiring, Providing and fixing of Fire resistance wiring for Electrical wiring, 3/29, 7/29 Capital cables/Pakistan Cable. With energy savers as per Enginer direction etc)	No	1		
17	Painted outside & Inside Room walls, roof, with Berger/ICI or equaling which will be weather proof and two coats color as per engineer direction	Sft	1616		
18	Providing & fixing of 3" dia uPVC rain water down pipe, with shove ,bend ,tee & clamp etc.	Rft	13		
19	Providing and fixing Service Cable (7/52) for Main line to Water Filtration Plant	Rft	100		
20	Providing and Installation of ultra-filtration plant as per WHO standard on the existing drinking water supply schemes for minimum 500 people daily drinking water including testing and commissioning/functionalizing. Per hour discharge should not less than 90 gallons, along with extra 2 PVC storage tank 500gallons and consumables etc.	Job	1		
21	Water collection point ,tap stand GI pipe (Medium) dia 2", length 12' built in with 5 socket welded having dia 1/2", and 5 steel taps good quality dia 1/2", one end of main pipe closed with 2" stopper and reducer having size 2"x1" at other end complete construction work and fixing of tiles /marbles on the wall, and protection steel grill around collection space size will consider as per site and directed by the engineer	Job	1		
22	Providing and installation of Sign Board size(4'X3') using 18gauge steel sheet , GI pipe 1.5" dia as in frame & foots with cross angel iron double strips of 1 feet length, 6 feet total Height of sign Board, writing of given data double sides with IR logo )	Job	1		
<b>Grand Total (Labour+Materials+Tax)</b>					






# ISLAMIC RELIEF


Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

Drawing-A:


Water Filtration Plan & Pre-Fabricated Room Islamic Relief AJ&K Bagh (Project SEWA)




PLAN VIEW




FRONT VIEW



SECTION VIEW



BEAM DETAIL



FOUNDATION DETAIL




# ISLAMIC RELIEF


Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

Drawing-B:


Water Filtration Plan & Pre-Fabricated Room Islamic Relief AJ&K Bagh (Project SEWA)




PLAN VIEW




FRONT VIEW



SECTION VIEW



BEAM DETAIL



FOUNDATION DETAIL 2" THICK WALL




# ISLAMIC RELIEF


Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Drawing-C:


Water Filtration Plan & Pre-Fabricated Room Islamic Relief AJ&K Bagh (Project SEWA)




PLAN VIEW



FRONT VIEW



SECTION VIEW



BEAM DETAIL

