



# ISLAMIC RELIEF

*Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984*

---

## Tender Pack

**PROPOSAL FOR: Civil, Electrical and Solarization work of Drinking Water Supply Scheme at Tirah Bazar Lar Bagh, Upper Bara, KPK**

**ADVERTISEMENT DATE: July 29, 2022**

**TENDER DOCUMENTS ISSUANCE: July 29, 2022– August 05, 2022**

**DOCUMENTS SUBMISSION DATE: August 05, 2022 (Latest by 1700 Hrs)**



# ISLAMIC RELIEF

*Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984*

---

## CONTENTS

1. Questionnaire (supplier's general business info)
2. Pricing (RFQ)
3. Terms and Conditions
4. Supplier Screening Form
5. Queries..... write us
6. Complaint.... write us
7. Supplier Code of Conduct



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## 1. CONFIDENTIAL QUESTIONNAIRE

### Company Information

Question	Response
Full Legal and Trading Name.	
Date of Registration of your company (please attach certificate)	
Full address.	
Registered place of business (if different from street address).	
Name the contact within your organization to whom all correspondence regarding this should be addressed. This include Cell#, Email Address	
Company website address.	
Name and position of person authorized to enter into negotiations and sign any formal agreement.	
Company registration details such as, i. Registration numbers ii. VAT Registration number iii. Trade license number (copy must be attach)	
Name of other key contacts: Director/s.  Sales/Orders.  Technical Support.	



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Business Information

Question	Response
<p>Provide a brief description of your Company profile and structure, size and location(s) including a brief overview of your marketing and the scope of operations and styles manufactured.</p> <p>Relationships with any parent company (if applicable).</p> <p>Include details of third party contractors where applicable.</p> <p>Details of joint venture arrangements (if applicable).</p>	
List of Products/Services	
List of Major Clients	
<p>Details of your company's experience in the execution of similar contracts, keeping in view the following points:</p> <ul style="list-style-type: none"><li>i. Name of company/INGOs</li><li>ii. Contract Value</li><li>iii. References</li></ul> <p>(agreements copy must be attach)</p>	



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Banker's Detail:

Question	Response
Bank Name, Account Title, branch and total turnover in USD of last year (attach the bank statement of last 6 months)	

## Trade Reference (only for similar Projects):

	1	2	3	4
Name of Organization				
Contact name and phone number				
Description of items/services delivered				
Quantity				
Date contract awarded				
Date contract Completed				
Value of Contract in PKR				



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## 2. Pricing (RFQ)

M/s \_\_\_\_\_

Date: \_\_\_\_\_

Ref. # \_\_\_\_\_

Islamic Relief (IR) is an International Non-Governmental Humanitarian Organization (NGO) providing humanitarian aid during emergencies and working for long-term development of the world's poorest people.

Islamic Relief (Pakistan) takes this opportunity to request you to quote the prices for the **Civil, Electrical and Solarization work of Drinking Water Supply Scheme at Tirah Bazar Lar Bagh, Upper Bara, KPK** as per following detail:

Solarization Work			
S.No	Discription	Composite unit rate (Rs per Watt)	Rate of complete solar unit(Rs)
	Supply and installation of submersible pump coupled with submersible rewindable electric motor (ISO - 9906 Certified) submersible electric motor rewindable, water proof cable capable of giving discharge 2500 US-GPH to 3000 US-GPH at total dynamic head 171 ft and pump setting 120 feet along with solar panel (Tier-1, A-grade mono crystalline with minimum 21.2% efficiency modules), solar structure system ( <b>Manual Tracker System</b> ), Earthing system and all accessories like controller/inverter, submersible flat cable, column pipe, Top set (Sluice valves, Non return Valves, Gate valve, pressure gauge, bends, suspension and clamps, stainless steel rope, cable ties, nut bolt and rubber gaskets etc.) along with Solar System complete in all respect for following parameters as per approved specification for supply and installations of solar panels and allied equipments of KP Govt. (Anex"A" attached)		
	Water Horse Power (WHP)=(US-GPH*TDH)/(60*3960)	Discharge US-GPH 2795	Head (TDH)- ft 171
		2	
	Pump Efficiency %	70%	
	Motor Efficiency %	75%	
	Pump Shaft Power (Pump-HP) : =WHP/Pump efficiency	3	
	Motor Input Power (Watt): =(Pump shaft power*746)/Motor efficiency	2984	
	Total PV Power (WP): =Motor input power * Factor of safety (1.75)	5222.00	
	<b>Total Cost Per Scheme (Incl. of Taxes, Transportation, Labor &amp; Deliveries)</b>		



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## Civil and Electrical work of Drinking Water Supply Scheme

S.#	Activities	Unit	Quantity	Brand Name, if any	Unit Price	Total Amount
<b>A.</b>	<b>Over Head Water Tank (OHWT)</b>					
<b>1</b>	<b>Excavation in foundation of tank</b>					
	Excavation in foundation of building, septic tank, water tank, drainage line, irrigation channel and water pipe line of different dia in all kind of soil including soft soil, hard rock, shingle/gravel etc. For details see the drawings.	Cft	877.13			
<b>1</b>	<b>P.C.C(1:4:8) as in Foundation</b>					
	Providing and laying Plain cement concrete including shuttering (using water tight formwork of best quality), mixing (using mixer machine), placing, compacting, finishing and curing up to two weeks (nominal mix ratio 1:4:8) (the crush must be well graded, free from mud/dust and the sand must be coarser & clear from mud/dust & impurities) as in foundation complete in all respect & as per the approved drawings. Required crushing strength of concrete must not be less than 1800 psi when tested.	Cft	97.75			
<b>2</b>	<b>RCC 1:2:4 as in Foundation</b>					
	Providing and laying/pouring reinforced cement concrete (RCC) 1:2:4 ratio including shuttering (using water tight formwork of best quality), curing up to 28 days, compacting, mixing (using mixer machine) finishing as in foundation, plinth beam, base slab etc.as per the provided approved drawings or engineer incharge instructions. Required crushing strength of concrete must be not less than 3000 psi.	Cft	269.38			
<b>3</b>	<b>RCC 1:2:4 as in Super Structure</b>					
	Providing and laying/pouring reinforced cement concrete (RCC) 1:2:4 ratio including shuttering (using water tight formwork of best quality), curing up to 28 days, compacting, mixing (using mixer machine) finishing as in columns, slabs, braced beams, stairs etc.as per the provided approved drawings or engineer incharge instructions. Required crushing strength of concrete must be not less than 3000 psi.	Cft	803.70			
<b>4</b>	<b>Supplying/Fixing Grade-60 Steel</b>					
	Supply & fabricate M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade-60) including cutting, bending, binding, transporting & fixing on specified location as per the approved drawings or engineer incharge instructions.	Kg	4452.00			
<b>5</b>	<b>Mosaic Work Over Plaster surface on Internal surface of Water</b>					



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

	Tank				
	Mosaic work including rough cement plaster surface as a base in 1:4 CSM 1/2" upto 60' height as in water tank, parapet wall etc. complete with good finishing and smooth edges.	SFT	493.00		
<b>6</b>	<b>F/installation of M.S main hole cover 2'x2' or 0 .37sqm (2"x2"x.25") with lock arrangement)</b>				
	Supplying & fixing of M.S main hole cover 2'x2' or 0 .37sqm (2'x2'x 0.25") with lock arrangement) complete with all necessary fittings etc.	No's	1.00		
<b>7</b>	<b>Earth Fill</b>				
	Refilling with excavated/out side material up to 2 km lead in layers each not exceeding than 6" including its compaction up to 85% FDT using mechanical machineries i.e. compactor, mini roller etc.	CFT	486.00		
<b>8</b>	<b>F/installation of M.S Ladder</b>				
	Supplying & fixing of MS angle iron ladder of 1.5"x1.5" x 2/8" main iron bars 1.5"x1.5" x 2/8" angle iron as in steps @9" c/c distance with width of 1'-6" 2'-0" high side rail on both sides of the ladder from 1"x1"x1/16" pipe complete with welding, painting and other necessary fittings, as per provided approved drawings or engineer incharge instructions.	RFT	12.00		
<b>9</b>	<b>Grills at the Bottom and Top slabs of water tank</b>				
	Supplying & fixing of MS angle iron grill of 1"x1"x1/16" square or round iron bars in vertical supports and at a distance of 9"c/c, the top rail should be 1.5"x1.5"x1/8" complete with welding and other necessary fittings, as per drawings. The bottom of the support pipes should be welded with extended bars of base slab of water tank or with plate of 4"x4"x1/8".	SFT	296.00		
<b>10</b>	<b>Brick Work in Core Wall of Water Tank</b>				
	First class burnt brick masonry in 1:4 cement sand mortar, comprising 9" or 4.5" including curing up to 7 days, masonry work must be good finished with clean filled vertical and horizontal joints, Size of brick must be 4.5" x 9" x 3" complete in all respects as in core walls of water tank. Required crushing strength must be not less than 1800 psi.	CFT	239.25		
<b>11</b>	<b>Water Stopper (10" Wide)</b>				
	Supplying and fixing of water stopper of 10" wide complete of best quality.	Rft	61.00		
<b>12</b>	<b>P.C Pointing in (1:3) CSM</b>				
	Point of cement mortar 1:3 over outer surface of water tank of V-type complete in all respect, curing up to 14 days, proper finishing and edges of masonry should be made of plaster in border shape.	SFT	291.50		
<b>13</b>	<b>Chasing out/Chiseling</b>				





# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

	Chiseling/Chasing out of concrete of any type of size 6"x 6" by mechanical means using grinder/cutter machine including disposal of unserviceable material within 200 meters lead as per the direction of Engineer-in-charge.	RFT	1000.00			
<b>14</b>	<b>Dismantling/Demolishment</b>					
	Demolishing of existing concete manually or by mechanical means including disposal of unserviceable material within 200 meters lead as per the direction of Engineer-in-charge.	CFT	90.00			
<b>B</b>	<b>Water Supply Pipes Networking</b>					
<b>15</b>	<b>Excavation for Pipe Lines</b>					
	Excavation in trench of water pipe line of different dia in all kind of soil including soft soil, hard rock, shingle/gravel etc., as per the approved drawings or engineer incharge instructions.	CFT	1050.00			
<b>16</b>	<b>Supply and Installation of HDPE Pipes</b>					
	Providing and Laying HDPE pipe PN-12.5 PE-100, Din-8074/Din-8075/ISO-4427 including testing, disinfect, cutting, treading, shifting & installing to specified locations complete as per approved drawings or engineer incharge instructions.					
a.	63 mm dia	Rft	3200.00			
b.	25mm dia	Rft	1500.00			
c.	20mm dia	Rft	1500.00			
<b>17</b>	<b>HDPE Fittings (Connection clamps for Distribution Lines)</b>					
	Providing and fixing of HDPE fittings clamp of best quality for distribution line from main line. The sizes of clamp should be as per the mentioned pipe dia's (including testing etc. complete in all aspects ).					
a.	63 mm to 25 mm dia	Nos.	10.00			
b.	63 mm to 20 mm dia	Nos.	20.00			
c.	25 mm to 20 mm dia	Nos.	20.00			
<b>18</b>	<b>HDPE Pipes connectors (Coupler)</b>					
a.	63 mm dia	Nos.	7.00			
b.	25mm dia	Nos.	4.00			
c.	20mm dia	Nos.	4.00			
<b>19</b>	<b>Gate Valve for HDPE Pipelines</b>					
	Providing and Fixing Brass peet / gate valve for supply lines of best quality and approved brand (including testing etc. complete with flanges rubber washers and nut bolts etc.)					
a.	2"	Nos.	3.00			
b.	1/2"	Nos.	20.00			
<b>20</b>	<b>Chromium plated (CP) bib-cock</b>					



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

	Providing and fixing chromium plated (CP) bib-cock heavy duty of approved quality : 1.5 cm 1/2"				
a	1/2"	Nos.	20.00		
<b>21</b>	<b>Supply &amp; Fixing GI Pipes</b>				
	Providing & fixing GI pipes of EN 10255 - 2004 (Medium Approved Quality ) including cutting, treading, shifting, jointing, welding, testing and disinfecting GI pipelines for inlet, outlet, washout, overflow, with socket joint, including specials etc.Complete with all necessary fittings (flanges, sockets, elbow etc.) as per specifications, approved drawings or engineer incharge instructions.				
a.	½" Nominal Pipe Size (NPS)	RFT	20.00		
b.	¾" Nominal Pipe Size (NPS)	RFT	20.00		
c.	1½" Nominal Pipe Size (NPS)	RFT	20.00		
d.	2" Nominal Pipe Size (NPS)	RFT	20.00		
e.	3" Nominal Pipe Size (NPS)	RFT	20.00		
f.	4" Nominal Pipe Size (NPS)	RFT	10.00		
<b>22</b>	<b>Supply &amp; Fixing Of PVC Man hole cover (15" x 15")</b>				
	Supply & fixing of PVC Man hole cover for the protecting of Valve pit near stand post or as per engineer incharge instructions or drawings	No	20.00		
<b>C</b>	<b>Construction of Pump House</b>				
<b>23</b>	<b>Brick Work for Pump House</b>				
	First class burnt brick masonry in 1:6 cement sand mortar, comprising 9" or 4.5" including curing up to 7 days, masonry work must be good finished with clean filled vertical and horizontal joints, Size of brick must be 4.5" x 9" x 3" complete in all respects. Required crushing strength must be not less than 1800 psi.	CFT	350.81		
<b>24</b>	<b>Plaster Work</b>				
	Cement plaster in 1:3 CSM 1/2" upto 20' height as in pump house including boundary wall, verandah, parapet wall and rooms.	SFT	1325.00		
<b>25</b>	<b>Sand/Gravel filling under floor</b>				
	Sand/Gravel filling under floor	CFT	55.13		
<b>26</b>	<b>P.C.C (1:2:4) i/c Placing Compacting &amp; Finishing &amp; curing complete</b>				
	Plain Cement Concrete including placing, compacting, finishing & curing (Ratio 1:2:4)	CFT	558.15		
<b>27</b>	<b>Three (3) coats Weather shield as in external surface of Pump house</b>				
	Preparing surface & painting with weathershield paint : three coats	SFT	441.00		
<b>28</b>	<b>Three (3) coats of distemping as in internal surface of pump house</b>				



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

	Distempering New surface : Three coats	SFT	500.00			
<b>29</b>	<b>Supply &amp; fixing of Steel Door &amp; Windows</b>					
	Providing and Fixing steel Doors of 18 gauge thick sheet and angle iron frame 2" x 2" x 0.25", three (3) coats of good quality paint with lock arrangement and other associated items complete.	SFT	40.00			
<b>30</b>	<b>Supply &amp; fixing of Sign Board</b>					
	Providing and installation of Sign Board size of 4'X3' internal size using 18 gauge steel sheet, 16 gauge pipe 1.5" dia as in frame of size 4.5' x 3.5' & 4' high, foots with cross angle iron double strips of 1 feet length, writing of given data double side with IR logo and minimum 6 x numbers of wall chalking of given data with IR logo complete 5' X 8' size on the near by walls or as directed by Engineer.	Nos.	1.00			
<b>D</b>	<b>Bore hole and Accessories (10" Dia)</b>					
<b>31</b>	<b>Bore hole</b>					
	Drilling of Bore holes for tube well in all types of soil and soft rock except hard rock from ground level upto 328 ft depth (0m to 100m), including sinking, collection of 100 % corings and withdrawing of pipe, complete as per specifications: Dia of Bore 10" (250 mm) i/d	Rft	150.00			
<b>32</b>	<b>Casing Pipe (Blind Pipe)</b>					
	Providing & Installation of PVC-U class C blind pressure pipe (non-recycled and made of fresh polymers) of 8" internal dia, l/c lowering, jointing and fixing with 6" overlapping at joints.	Rft	124.00			
<b>33</b>	<b>Strainer pipe</b>					
	Providing & Installation of PVC-U class C strainer pressure pipe (non-recycled and made of fresh polymers) (with 5mm dia holes separated 15mm equally) of 8" internal dia , l/c lowering, jointing and fixing with 6" overlapping at joints.	Rft	26.00			
<b>34</b>	<b>Filter cover</b>					
	Filter mesh with cobbler thread for 13 ft strainer having diameter 8"	No	2.00			
<b>35</b>	<b>End Cap (Plug)</b>					
	End cap UPVC dia 8", class D	No	1.00			
<b>36</b>	<b>Jointing solution</b>					
	Jointing solution for fitting PVC pipes 250 ml	Cane	1.00			
<b>37</b>	<b>Shrouding</b>					
	Providing and Laying of Shrouding material (Crushed stones of size 1/8" to 1/4") around the casing pipe.	Cft	200.00			
<b>38</b>	<b>Manhole (18"X 18")</b>					



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

	Construction of brick masonry manhole (1.5'x1.5'x2') 4.5" thick wall for pressure pump protection including plaster work, PVC manhole cover complete in all respect as per instruction of engineer incharge.	Job	1.00			
<b>39</b>	<b>De-watering</b>					
	De-watering for cleaning of boring well by pressure pump/compressor machine continuously for required discharge till reaching clean water	Job	1.00			
<b>F</b>	<b>Internal Electrification for Pump House</b>					
<b>40</b>	<b>PVC Pipe for wiring</b>					
	Supply and Erection PVC pipe for wiring purpose complete Recessed in walls/slab including chase etc.					
a.	3/4" i/d	Rft	60.00			
b.	1" i/d	Rft	20.00			
<b>41</b>	<b>Wiring &amp; Power Cables</b>					
	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable as per instruction of engineer incharge.					
a.	3/0.029" (1.5mm <sup>2</sup> )	Rft	200.00			
b.	7/0.029" (2.5mm <sup>2</sup> )	Rft	50.00			
<b>42</b>	<b>MS Sheet BACK BOXES</b>					
	Supply and erection of M.S sheet boxes of 16 SWG 4" deep with 3/16" thick backbite sheet top for recessed wiring including making holes for regulator, switch, plug etc complete.					
a.	4"x4"	No	2.00			
<b>43</b>	<b>Light and Power switches</b>					
a.	Supply and Erection switches for lighting purpose 10/15 Amp : Recessed type	No	4.00			
b.	Supply and Fixing 10 Amp light plug	No	1.00			
c.	Supply and Erection of single phase 2-Pole imported auto circuit breaker 30 Amp complete with surface mounted PVC protection box.	No	1.00			
<b>44</b>	<b>LED Lights (SMD Type)</b>					
	Supply and Erection of AC ENERGY EFFICIENT LED LIGHT BULBS (16-20 W)	No	4.00			
<b>45</b>	<b>Wapda Service Cable</b>					
	Supply and Erection of 2-core best quality (7/0.44") wapda service cable (Aluminum) as per instruction of engineer incharge.	Rft	50.00			
<b>Total Cost of Civil &amp; Electrical Works(Incl. of Taxes,Transportation, Labour and Installation)</b>						



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

<b>Total Cost of Solarization System Works(Incl.of Taxes,Transportation, Labour and Installation)</b>	
<b>Grand Total Amount</b>	

Delivery Time	
Delivery Location	Tirah Bazar Lar Bagh, Maidan of Malak din khel <b>Tribe Upper Bara, KPK</b>

**Note: IR will have the right to conduct the lab test for of samples to evaluate the quality and also the consignment if selected.**

### **3. General Terms & Conditions**

#### General

- 1- Supplier will be required to provide CDR/DD amounting 5 % (in the name of “Islamic Relief”). CDR/DD will be returned to unsuccessful bidders after decision of tender. Tender without CDR/DD will not be considered.
- 2- Quoted prices for the above items shall be inclusive of all kind of govt. taxes including GST and duties as per prevailing Tax Laws of Govt. of Pakistan, Transportation, and Custom Clearance and port taxes (if any)
- 3- All prices must be quoted in Pak rupees.
- 4- Prices quoted shall be Delivered Duty Paid (DDP) at the identified locations i.e. **Khyber Pakhtunkhwa**
- 5- Any damage, loss, theft and demurrages outside the premises of Islamic Relief (Pakistan) shall be the responsibility of supplier / agent.
- 6- Withholding tax & GST as per government prevailing rates shall be deducted at the time of payment.
- 7- Payment shall be made in the form of cross cheque within 21 days after acceptance of delivery and subsequent submission of the invoice to the Islamic Relief (Pakistan).
- 8- Islamic Relief reserves the right to reject any or all bids without assigning any reason thereof.
- 9- Expected delivery time must be mentioned on your quotation.
- 10- Incomplete Bids/documents shall not be entertained.



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

---

## 3.1 Bid Submission Requirements

1- The following documents should be accompany the tender

- Updated Company Profile with all registration certificates
- Updated bank statements of last 6 months and Last year audited financial statements
- Relevant Purchase Orders, Agreements and completion certificates
- CDRs/DDs 5% of the total bid value

**2. Sealed Bids addressed to “Procurement Committee” should be drop in quotation box placed at 2<sup>nd</sup> floor, IRM Complex 7 Sunrise Avenue, Park Road, Near Comsats University, Islamabad on or before **August 05, 2022 (latest by 1700 HRS).****

## 3.2 Validity of Price

Prices shall remain valid for at least 90 days from the date of opening. If the last date falls on a holiday, the validity shall be extended to the next working day of the Company thereafter.

For Islamic Relief \_\_\_\_\_ Sig & Seal of bidder \_\_\_\_\_



# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

## 4. Supplier Screening Form

### Company Information:-

Company Name (as appeared on Registration Document): \_\_\_\_\_

Company Address: \_\_\_\_\_

Country: \_\_\_\_\_ Telephone: \_\_\_\_\_ Website: \_\_\_\_\_

Director(s) names (Please ensure you enclose proof of identity of director(s) e.g. passport copy or ID card)

Has the organization been convicted of any criminal offence?

Yes No

Does the organization have any relationship with current IR staff in the following capacity?

Personal/Family Yes No

Business Yes No

If you have answered YES to any of the above then can you please state in detail the relationship you have and with whom

How did you hear about IR's service request? \_\_\_\_\_

Please note that it is compulsory for the following to be provided to us:

1. Company Registration
2. Photo copy of ID/Passport of Directors

### Consent

Our organization is not involved in and does not support any activity which is considered illegal by the Government of \_\_\_\_\_ (insert Country) or under the International Laws Community or what may be termed a 'terrorist activity'

I confirm that the above information is accurate to the best of my knowledge. I have not withheld information.

Name: \_\_\_\_\_

Position: \_\_\_\_\_

Sign & Official stamp: \_\_\_\_\_

Date: \_\_\_\_\_

We will treat your personal information as confidential and your details will not be shared with anyone else. The information on this form is required for the purpose of providing security screening.

### Internal Use

Received by (local office): Name

Position

Date

Information sent to (HQ): Name

Date



# ISLAMIC RELIEF

*Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984*

---

## **5. Queries..... please write us**

If you have any query on tender document than please write to [pcco@irp.org.pk](mailto:pcco@irp.org.pk)

[IRP.Procurement@irp.org.pk](mailto:IRP.Procurement@irp.org.pk)

## **6. Complaints..... please write us**

If you see any violation of rights or any incident of corruption, please contact us at:

[complaints@irworldwide.org](mailto:complaints@irworldwide.org)

Islamic Relief has zero tolerance for corruption & bribery and is committed to listen and Address any violation of rights of aid workers, suppliers, contractors and our beneficiary communities.





# ISLAMIC RELIEF

Islamic Relief in Pakistan is registered with the Securities and Exchange Commission of Pakistan (CUIN Registration No. 0033819) under Section 42 of Companies Ordinance 1984

---

## 7. Supplier Code of Conduct

### 1 Islamic Relief Worldwide requires all firm to adhere to:

- 1.1 The Modern Slavery Act 2015
- 1.2 The International Labour Standards as defined by the ILO (International Labor Organization). This Code of Conduct developed by the Inter Agency Procurement Group (IAPG) is inspired by the International Labour Standards.

### 2 Corporate Social Responsibility (CSR)

This information is to advise you, our service provider of the Corporate Social Responsibility (CSR) element in our supplier relationships:

- 2.1 Goods and services purchased are produced and developed under conditions that do not involve the abuse or exploitation of any persons.
- 2.2 Goods/services produced and delivered by organizations subscribe to no exploitation of children
- 2.3 Goods/services produced and manufactured have the least impact on the environment
- 2.4 Goods and services are produced and delivered under conditions where:
  - 2.4.1 Employment is freely chosen
  - 2.4.2 The rights of staff to freedom of association and collective bargaining are respected.
  - 2.4.3 Living wages are paid
  - 2.4.4 There is no exploitation of children
  - 2.4.5 Working conditions are safe and hygienic
  - 2.4.6 Working hours are not excessive
  - 2.4.7 No discrimination is practiced
  - 2.4.8 Regular employment is provided
  - 2.4.9 No harsh or inhumane treatment of staff is allowed.

#### 2.5 Environmental Standards:

Service provider should as a minimum comply with all statutory and other legal requirements relating to environmental impacts of their business. Areas to be considered are:

- 2.5.1 Waste Management
- 2.5.2 Packaging and Paper
- 2.5.3 Conservation
- 2.5.4 Energy Use
- 2.5.5 Sustainability

### 3 Business Behavior:

Islamic Relief will seek alternative sources where the conduct of service provider demonstrably violates the Modern Slavery Act 2015, and there is no willingness to address the situation within a reasonable time-frame.

Islamic Relief will seek alternative sources where companies in the supply chain are involved in the manufacture of arms or the sale of arms to governments which systematically violate the human rights of their citizens.

### Qualifications to the statement:

Where speed of deployment is essential in saving lives, IAPG members will purchase necessary goods and services from the most appropriate available source.