Annex-i-1

REPAIR AND REHABILATION OF GOVT GIRLS HIGH SCHOOL WASHUK

BOQ of 3 Washroom

S.#	DESCRIPTION	QUANTITY	UNIT	Brand Offered	Unit Price	Total Price
1	**Ceramic Tiles**	Providing and laying 1/4" to 3/8" (6mm to 9mm) thick Glazed/ Matt tiles of any colour and size in ground floor laid over 1" (25mm) thick cement sand mortar base including jointing and washing the tiles with white cement slurry of matching color by using color pigment and curing complete in all respect and as directed by Engineer in charge.	117.50	Sft		
5	**Water Closet (WC) Indian Type Large size**	Providing and fixing squatting type water closet(China) with integral treads ICL Boch/Karam Cera or approved equivalent make including cost of inlet pipe cistern and lid cistern kit, stop cock deluxe type and other accessories, fittings, brackets, PVC down pipe, rubber rings/washers, P-Trap 4",making requisite number of holes in walls, plinth and floor for pipe connection and making good with approved material complete in all respect and as directed by Engineer in charge	3.00	No		
5	**Wash Basin**	Providing and fixing export quality Earthenware WASH BASIN manufactured by any approved company including cost of inlet pipe cistern and lid, cistern kit stop cock deluxe ,Earth ware Pedestal and other accessories, fittings material such as brackets PVC down pipe rubber rings / washers ,Basin pipes making requisite number of holes in walls plinth and floor for pipe connection and making good with approved material. Complete in all Respect And as per Engineer In charge.	1.00	No		
9	**Water Connection Pipe PPRC 1"**	Providing, laying, cutting, jointing, testing and disinfecting PPRC 1" pipes , complete in all respects with specials and valves etc. including all fittings, connections and jointing material.	100.00	Rft		
10	**PVC pipe 4"**	Providing and Installing PVC pipe IIL, Dadex or equivalent make registered with PSQCA in tube well bore hole and/or laying, cutting, jointing and testing PVC pipe lines in trenches.	30.00	Rft		
11	**HDPE Pipe 20 mm**	Supplying HDPE pipes density 700-960 kg/cu.m and carbon black contants > 2% with DIN-8074, 8075 or PS-3580:1997(rev.) ISO 9001-2000 pressure classification of PE -100 (black) for water PN-12.5 including specials and valves. **20 mm**	300.00	Rft		
11	**Plastic water over head Tank 300 Gallon**	Providing and fixing LDPE /Plastic Water overhead tank 300 gallon manufactured by Dura or equivalent on top of any floor complete in all respect	2.00	No		
12	**Water Cooler**	Providing and installation of NasGas Water Cooler as per following specifications complete in all respect including So Safe Filter,fitting and joint of pipes 65 Litre Capacity, Prime Copper Wrapped Steel Tank & Electric Fan Motor, Food Grade Non-Magnet Water Tank Prime Grade Insulation, Breeze Brand Condenser (With Protection Cover), Stainless Steel Body (With Coloured Back	1.00	No		
26	**Stabilizer**		1.00	No		
Total Amount(Inclusive of all Govt. applicable Taxes, Deliveries, Transportations and Installations, if any)						