

Annexure-D

Rehabilitation of Govt Girls High School Pakha Ghulam, UC Pakha Ghulam, Tehsil Chamkani, District Peshawar.

Rehabilitation/Repair of Mixed Community School Building

S.No	Description	Unit	Qty	Brand Offered	Rate	Total Amount
1	Rehabilitation of Old Buliding work					
1	Dismantling work					
a.	Scraping : White wash or color wash	Sft	3780.00			
b.	Dismantling light, fan and call bell point including casing, capping/strip open type complete	Point	27.00			
c.	Dismantling and removing roof treatment including brick tile roofing, complete with mud and mud plaster.	Sft	1498.75			
d.	Dismantling of existing brick wall in cement mortar	Cft	123.75			
e.	Dismantling RCC, separating reinforcement, cleaning & straightening the same	Cft	40.00			
2	Repair & Maintenance Work					
a.	Removing & re-fixing of wooden joinery (doors & windows) i/e addition and alteration complete	Sft	48.00			
b.	Minor repair of steel joinery complete in all respects.	Sft	54.00			
c.	Providing & fixing of clear/ tinted plastic sheet (acrylic/polycarbonate) of 4 mm thickness in wooden/aluminum/iron frame, including cutting to size, fixing with putty/ beading/ screws, complete in all respects.	Sft	320.00			
d.	Repairs to plaster of thickness 1/2" to 3/4" in cement sand mortar 1:4 patches of area 27 Sft and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal	Sft	100.00			
3	White Wash(Distemper and Paint etc)					
	White washing: Old surface : Two coats	Sft	6938.42			
4	Precast slab ratio 1:2:4					
	Providing and fixing of precast RCC slab size 4'-0" x 1'-6" x 2" thick, made with cement concrete 1:2:4, reinforced with 3/8" dia MS bars @ 4" c/c as main steel and 1/4" dia bars as distribution steel. Include transportation and fixing in position with cement sand mortar 1:3 and curing. Complete as per direction of Engineer-in-charge.	Each	5.00			
5	Plaster Ratio 1:5					
	Cement Plaster 1:5, upto 20' height 3/4" thick including curing, good finishing, scaffolding complete in all respect.	Sft	84.00			
6	Wall Tile					
	Providing and fixing of laboratory shelves and wall tiles (12" x 18") of approved quality, complete in all respects	Sq.m	12.08			
7	Roof Treatment					
	Single layer of tiles 12"x6"x2" laid over 4" earth and 1" mud plaster on top of RC roof slab. Complete in respect	Sft	1498.75			
8	Fiber Glass Shed					

Annexure-D

Rehabilitation of Govt Girls High School Pakha Ghulam, UC Pakha Ghulam, Tehsil Chamkani, District Peshawar.

Rehabilitation/Repair of Mixed Community School Building

S.No	Description	Unit	Qty	Brand Offered	Rate	Total Amount
	Fabrication/providing and fixing of Fiber Glass Shed consisting of 2 layers of imported TGI matt of best quality. The fiber glass will be installed on high strength MS frame consisting of 1.5"•x1.5"• MS square pipe of 18 SWG mains having blocks of 2.5x2.5 feet and truses of 1.5"•x1.5"• MS square pipe 18 SWG. Fiber glass will be fixed to the square MS pipe frame with aluminum rivets, drilled, punched, cutted leveled confirming to the size of fiber glass panel and MS frame. Fiber glass sheet will be sealed with polyester resin to give a smooth homogenous and water proof finish to the entire surface. Vertical supporting pillars will consist of MS Pipe of 4"• dia 18 SWG. All steel fabrications will be treated with redoxide coat and subsequently with color enamel paint using compressor gun complete in all respect.	Sft	937.50			
9	Wire Guaze 22 guage and 12 x 12 Mesh					
	Removing of existing wire guaze & re-fixing new GI wire guaze of 22 guage and 12 x 12 mesh per square inch window & ventilator complete in all respects	Sft	36.00			
d.	Electrification work					
10	Supply and Fixing PVC conduit for surface wiring (dura duct) good quality 1/2" including all charges for conduit fittings (boxes, elbows), nail, screws etc.	Rft	70.00			
11	Supply and Fixing PVC conduit for surface wiring (dura duct) good quality 1" including all charges for conduit fittings (boxes, elbows), nail, screws etc	Rft	110.00			
12	Wiring of light/fan/call-bell point in 3/0.029" PVC insulated bare cable in PVC pipe/duct recessed	Each	27.00			
13	Supply and Erection single core PVC insulated copper conductor 250/440 V grade cable : 7/0.029"	Rft	100.00			
14	Wiring of main & sub-main in 2 single core PVC insulated & sheathed cable : 7/0.044"	Rft	110.00			
15	Supply & Erection of UPVC board 7" x 4" with all aspects	Each	4.00			
16	Supply & Erection of Power Plug 15 Amp complete in all aspects	Each	3.00			
17	Supply at site, installation, testing and commissioning of the Eight gang light control switches 10 Amps, 250Volts one way, including appropriate size concealed/ MS, powder coated back box, complete in all respects.	Each	4.00			
18	Supply and Erection of AC ENERGY EFFICIENT LED LIGHT BULBS (16-20 W) with lamp holder. Complete in all	No	21.00			
Grand Total (Inclusive of All Govt. Applicable Taxes, labour, material supply, loading/unloading, Transportation and Installation, if any)						